

# SAFETY DATA SHEET



This Safety Data Sheet (SDS) complies with the requirements of the U.S. Federal Occupational Safety and Health Administration Hazard Communication Standard (29 CFR 1910.1200, as updated in 2012) and equivalent state Standards. It has also been developed in accordance with the United Nations Globally Harmonized System of Classification of Chemicals (GHS), and the Canadian Workplace Hazardous Materials Information System (WHMIS). Refer to Section 16 of this document for the definition of terms and abbreviations.

## SECTION 1: IDENTIFICATION of the Substance/Mixture and of the Company/Undertaking

### 1.1 PRODUCT IDENTIFIER:

- PRODUCT NAME: **ELECTROKING**
- PRODUCT SIZE: 2 lb.

### 1.2 RELEVANT IDENTIFIED USES OF THE MIXTURE OR USES ADVISED AGAINST

- IDENTIFIED USE: Electroplating Operations
- USES ADVISED AGAINST: None Specified

### 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

- MANUFACTURER/  
SUPPLIER: **KROHN INDUSTRIES, INC.**
- ADDRESS: 303 Veterans Blvd.; Carlstadt, NJ; 07072
- BUSINESS PHONE: 201-933-9696
- EMERGENCY PHONE: 1-800-255-3924 (CHEMTEL; 24 hours)  
011-813-248-0573 (CHEMTEL INTERNATIONAL)

### 1.4 OTHER PERTINENT INFORMATION

- This product is used as part of metal finishing and polishing processes in relatively small volumes (2 lb in size). The product is diluted in 4 ounces per gallon of water for use. This SDS has been developed to address safety concerns affecting small volume handling situations and those involving warehouses and other workplaces where large numbers of these items are stored or distributed.

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:

REGULATION	CLASSIFICATION
US OSHA HCS CANADA WHMIS	Acute Toxicity – Oral (Category 4); Skin Corrosion/Irritation (Category 2), Serious Eye Damage/ Irritation (Category 1)

### 2.2 LABEL ELEMENTS:

- BASED ON GLOBALLY HARMONIZED SYSTEM

**Symbol:** To the right.

**Signal Word:** DANGER.

**Hazard statement(s):** Causes skin irritation. Causes serious eye damage.  
Harmful if swallowed. May cause respiratory irritation.



## SECTION 2: HAZARDS IDENTIFICATION (Continued)

### Precautionary statement(s)

- Keep out of reach of children. Read label before use. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid breathing dusts. Wash exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Use only outdoors or in well-ventilated area.
- IF SWALLOWED: Rinse Mouth: Call POISON CENTER/doctor if you feel unwell. IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. If eye irritation persists: Get medical advice or attention. Immediately Call a POISON CENTER/doctor. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
- Store in a well-ventilated place. Keep in tightly closed container. Store locked up.
- Dispose of contents/ container to an approved waste disposal plant.

### 2.3 OTHER PERTINENT DATA ON CHEMICAL AND PHYSICAL HAZARDS:

#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM

Health	2*	HMIS Personal Protective Equipment Rating: Occupational Use situations: B/C; Safety glasses and gloves/ body protection suitable to specific circumstances of use should be considered. *Respiratory irritation.
Flammability	0	
Physical Hazard	0	
Protective Equipment	B/C	

## SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

### 3.1 SUBSTANCES/MIXTURES

COMPONENT	CAS NUMBER	GHS HAZARD CLASSIFICATION	% (w/w)
Sodium Salt	Proprietary <sup>1</sup>	Skin corrosion (Category 1B); Serious eye damage (Category 1); Specific target organ toxicity - single exposure (Category 3; Respiratory system); NOTE - BASED ON INTERACTION WITH REMAINING COMPONENTS, PRODUCT NOT ANTICIPATED TO CAUSE SKIN TISSUE DAMAGE RELATED TO CORROSIVITY.	25-35%
Chelating Agent		Acute toxicity – oral (Category 4); Skin irritation (Category 2); Eye irritation (Category 2A); Specific target organ toxicity - single exposure (Category 3; Respiratory system).	1-10%
Organic Compound		Acute toxicity – oral (Category 4); Skin irritation (Category 2); Eye irritation (Category 2A)	< 1%
Phosphate Compound		Eye irritation (Category 2A)	Balance

## SECTION 4: FIRST AID MEASURES

### 4.1 DESCRIPTION OF FIRST AID MEASURES

- **Eyes:** Flush with copious amounts of water for 15 minutes. “Roll” eyes during flush. Seek medical attention immediately.
- **Skin:** Flush area with warm, running water for 15 minutes. Seek medical attention if irritation persists.
- **Inhalation:** If dusts of this product are inhaled, remove victim to fresh air. If necessary, use artificial respiration to support vital functions.
- **Ingestion:** Contact a Poison Control Center or physician for instructions. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow.

<sup>1</sup> The exact identity of the compounds and the percentage of composition have been withheld as a trade secret. All relevant physical and health hazards have been declared, in accordance with regulatory requirements.

## SECTION 4: FIRST AID MEASURES (Continued)

### 4.2 MOST IMPORTANT ACUTE AND CHRONIC EXPOSURE SYMPTOMS

- **ACUTE:** Contact can cause mild to severe eye or skin irritation, depending on point of contact and duration of exposure. Eye contact can cause redness, pain, and tearing. Skin contact can result in redness and irritation. Prolonged or repeated skin contact can result in dermatitis. If the product is swallowed, irritation of the mouth, throat, and other tissues of the gastro-intestinal system will occur. Ingestion of large amounts can cause severe irritation, pain, vomiting, and diarrhea and may damage tissues of the digestive system. Phosphates (e.g., Phosphate Compound, the main component of this product) are slowly and incompletely absorbed when ingested, and seldom result in systemic effects. If ingested in very large volume, phosphates can sequester calcium, which may result in blood chemistry changes, heart disturbances, and central nervous system effects. Overexposure to dusts of this product may cause irritation to the respiratory tract. Symptoms of such exposure can cause coughing, wheezing, and inflammation of the tissues of the nose, throat, and other respiratory system organs.
- **CHRONIC:** Prolonged or repeated skin contact may result in dermatitis. Long-term ingestion or inhalation of significant amounts of this product may result in systemic phosphorus poisoning. Liver damage, kidney problems, jaw/tooth abnormalities, blood disorders and cardiovascular effects may result.
- **TARGET ORGANS:** Eyes, skin.

### 4.3 INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

- **RECOMMENDATIONS TO PHYSICIANS:** Treat symptoms and eliminate exposure.
- **MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE:** Eye, skin disorders, and respiratory disorders.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1 EXTINGUISHING MEDIA

- **RECOMMENDED FIRE EXTINGUISHING MEDIA:** Water Spray, Water Jet, Dry Powder, Foam, Carbon Dioxide, Halon, or any other.
- **UNSUITABLE FIRE EXTINGUISHING MEDIA:** None known.

### 5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

- **NFPA FLAMMABILITY CLASSIFICATION:** Not flammable.
- **UNUSUAL HAZARDS IN FIRE SITUATIONS:** This product is non-combustible. This product does not significantly contribute to the intensity of a fire. Use extinguishing material suitable to the surrounding fire.
  - Sensitivity to Mechanical Impact: Not sensitive.
  - Explosion Sensitivity to Static Discharge: Not sensitive.



### 5.3 ADVICE FOR FIREFIGHTERS

- Wear Self Contained Breathing Apparatus and full protective equipment for fire response. Move containers from fire area if it can be done without risk to personnel. Otherwise, use water spray to keep fire-exposed containers cool. Contaminated equipment should be rinsed thoroughly with water before returning to service.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES

- **RESPONSE TO INCIDENTAL RELEASES:** Personnel who have received basic chemical safety training can generally handle small-scale releases (e.g., under 1 kg). For small releases, the minimum Personal Protective Equipment should be rubber gloves and rubber apron, splash goggles or safety glasses. Use caution during clean-up; avoid stepping into spilled solid or clean-up procedures that generate substantial amounts of dust.

## SECTION 6: ACCIDENTAL RELEASE MEASURES (Continued)

- **RESPONSE TO NON-INCIDENTAL RELEASES:** For large-scale releases of this product, minimum Personal Protective Equipment should be Level C: triple-gloves, chemical resistant apron, boots, and splash goggles and air purifying respirator equipped with a HEPA filter. Level B protection should be used when oxygen levels are below 19.5% or are unknown.
- **RESPONSE PROCEDURES FOR ANY RELEASE:** Wipe up solid residue with damp polypads or sponge. Rinse area with soap/water solution followed by a water rinse. Alternatively, a broom/dustpan can be used for removing spilled solid; these items should be discarded or rinsed with water before returning to service.

### 6.2 ENVIRONMENTAL PRECAUTIONS

- Avoid response actions that can cause a release of a significant amount of the substance (1 kg or more) into the environment.

### 6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

- **SPILL RESPONSE EQUIPMENT:** Broom/dustpan or Polypad/sponge.

### 6.4 REFERENCES TO OTHER SECTIONS

- **SECTION 8:** For exposure levels and detailed personal protective equipment recommendations.
- **SECTION 13:** For waste handling guidelines.

## SECTION 7: HANDLING AND STORAGE

### 7.1 PRECAUTIONS FOR SAFE HANDLING

- **HYGIENE PRACTICES:** Keep out of reach of children. Follow good chemical hygiene practices. Do not smoke, drink, eat, or apply cosmetics in the chemical use area. Avoid inhalation of dusts. Use in well-ventilated area. Avoid contact with skin or eyes. Remove contaminated clothing promptly. Clean up spilled product immediately.
- **HANDLING RECOMMENDATIONS:** Employees must be appropriately trained to use this product safely as needed. When mixing this product with water, slowly add the product to the water, to prevent splattering. Keep containers closed when not in use.

### 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

- **STORAGE RECOMMENDATIONS:** Ensure all containers are correctly labeled. Store containers away from direct sunlight, sources of intense heat, or where freezing is possible. Store this product away from incompatible chemicals (See Section 10, Stability and Reactivity). Empty containers may contain residual material; therefore, empty containers should be handled with care. Material should be stored in secondary containers, or in a diked area, as appropriate. Storage and use areas should be covered with impervious materials. Inspect all incoming containers before storage, to ensure containers are properly labeled and not damaged.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 CONTROL PARAMETERS

- **AIRBORNE EXPOSURE LIMITS:**

COMPONENT	ACGIH TLV	OSHA PEL	NIOSH REL	OTHER
Sodium Salt	NE	NE	NE.	NE.
Chelating Agent	NE	NE	NE.	NE.
Organic Compound	NE	NE	NE.	NE.
Phosphate Compound (as particulates, not otherwise classified)	10 mg/m <sup>3</sup> TWA (inhalable particles, recommended); 3 mg/m <sup>3</sup> TWA (respirable particles, recommended)	15 mg/m <sup>3</sup> TWA (total dust); 5 mg/m <sup>3</sup> TWA (respirable fraction)	5 mg/m <sup>3</sup>	NE

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (Continued)

- **BIOLOGICAL OCCUPATIONAL EXPOSURE LIMITS:** There are no Biological Exposure Indices (BEIs) for components of this product.

### 8.2 EXPOSURE CONTROLS

- **ENGINEERING CONTROLS:** Use this product in well-ventilated environment. Safety showers, eye wash stations, and hand-washing equipment should be available.
- **RESPIRATORY PROTECTION:** None needed under normal conditions of use. Use NIOSH approved respirators if ventilation is inadequate to control dusts. For situations in which significant amounts of dusts could be generated, wear an air-purifying respirator with a high-efficiency particulate filter.
- **HAND PROTECTION:** Neoprene or nitrile gloves should be used. Use triple gloves for spill response, as stated in Section 6 (Accidental Release Measures) of this SDS. If necessary, refer to U.S. OSHA 29 CFR 1910.138, or appropriate state, local, or national standards.
- **EYE PROTECTION:** Splash goggles or safety glasses with side-shields. If necessary, refer to U.S. OSHA 29 CFR 1910.133, or appropriate state, local, or national standards.
- **BODY PROTECTION:** Use a body protection appropriate to task (e.g., lab coat, coveralls, or apron). Care should be taken to select protection for potentially exposed areas when prolonged exposure could occur in occupational settings.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

- |  |   |
|--|---|
| (a) <b>APPEARANCE:</b> White solid.                                      | (k) <b>VAPOR PRESSURE (mmHg @ 20°C):</b> Not applicable.              |
| (b) <b>ODOR:</b> Odorless.   | (l) <b>VAPOR DENSITY:</b> Not applicable.                             |
| (c) <b>ODOR THRESHOLD:</b> Not determined.                               | (m) <b>RELATIVE DENSITY (water=1):</b> Not determined                 |
| (d) <b>pH:</b> 11.3 (6% w/w solution in water).                          | (n) <b>SOLUBILITY:</b> Soluble.                                       |
| (e) <b>MELTING POINT/FREEZING POINT:</b> Not determined.                 | (o) <b>PARTITION COEFFICIENT: N-OCTANOL/WATER:</b><br>Not determined. |
| (f) <b>INITIAL BOILING POINT AND BOILING RANGE:</b> Not applicable.      | (p) <b>AUTO-IGNITION TEMPERATURE:</b> Not applicable.                 |
| (g) <b>FLASH POINT:</b> Not applicable.                                  | (q) <b>DECOMPOSITION TEMPERATURE:</b> Not determined.                 |
| (h) <b>EVAPORATION RATE (water=1):</b> Not applicable.                   | (r) <b>VISCOSITY:</b> Not applicable.                                 |
| (i) <b>FLAMMABILITY:</b> Not flammable.                                  | (s) <b>EXPLOSIVE PROPERTIES:</b> Not applicable.                      |
| (j) <b>UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:</b> Not applicable. | (t) <b>OXIDIZING PROPERTIES:</b> Not an oxidizer.                     |

### 9.2 OTHER INFORMATION

- **VOC (less water & exempt):** Not applicable.

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 REACTIVITY

- Not reactive under typical conditions of use or handling.

### 10.2 CHEMICAL STABILITY

- Normally stable under standard temperatures and pressures.

### 10.3 POSSIBILITY OF HAZARDOUS REACTIONS

- This product is not self-reactive or air-reactive. This product will not undergo hazardous polymerization.

### 10.4 CONDITIONS TO AVOID

- Avoid contact with incompatible chemicals.

### 10.5 INCOMPATIBLE MATERIALS

- This product is not compatible with strong oxidizers, strong acids and water-reactive substances.

### 10.6 HAZARDOUS DECOMPOSITION PRODUCTS

- Thermal decomposition generates carbon monoxide, carbon dioxide and compounds of sodium.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

- **ACUTE TOXICITY:**

- **PRODUCT ESTIMATED TOXICITY:**

- Acute Toxicity Estimate (Oral) = 2145 mg/kg [Classified Category 4 based, due to close value]
    - Acute Toxicity Estimate (Dermal) > 5000 mg/kg

- **TOXICOLOGY DATA:** The following data are available for hazardous components in this product greater than 1% in concentration

**PHOSPHATE COMPOUND:**

Oral-Rat LD50: 4000 mg/kg  
 Intraperitoneal-Rat LD50: 59 mg/kg  
 Intravenous-Rat LD50: 100 mg/kg  
 Oral-Mouse LDLo: 40 mg/kg  
 Intraperitoneal-Mouse LD50: 380 mg/kg  
 Subcutaneous-Mouse LD50: 400 mg/kg  
 Intravenous-Mouse LD50: 69 mg/kg  
 Intravenous-Rabbit, adult LDLo: 50 mg/kg

**CHELATING AGENT:**

Oral - Rat – LD50 > 2,000 mg/kg

**SODIUM SALT**

Skin-Human 250 mg/24H: Severe irritation effects  
 Skin-Rabbit, adult 250 mg/24H: Severe irritation effects

**SODIUM SALT (Continued)**

Skin-Guinea Pig, adult 250 mg/24H:  
 Skin-Human 250 mg/24H: Severe irritation effects  
 Skin-Rabbit, adult 250 mg/24H: Severe irritation effects  
 Skin-Guinea Pig, adult 250 mg/24H: Moderate irritation effects  
 Oral-Rat LD50: 1153 mg/kg  
 Oral-Mouse LD50: 770 mg/kg  
 Oral-Dog, adult LDLo: 250 mg/kg  
 Oral-Pig LDLo: 250 mg/kg  
 Intraperitoneal-Guinea Pig, adult LDLo: 200 mg/kg  
 Oral-Dog, adult LDLo: 250 mg/kg  
 Oral-Pig LDLo: 250 mg/kg  
 Intraperitoneal-Guinea Pig, adult LDLo: 200 mg/kg

- **DEGREE OF IRRITATION:** Mild to severe, depending on duration of exposure.
- **SENSITIZATION:** Not reported to have skin or respiratory sensitization effects.
- **REVIEW OF ACUTE SYMPTOMS AND EFFECTS:** See Section 2 (Hazards Information) and Section 4 (First-Aid Measures) for further details.
  - **EYES:** Can cause mild to severe irritation.
  - **SKIN:** Can cause mild to severe irritation.
  - **INHALATION:** Dusts of this product can cause mild to severe nasal irritation.
  - **INGESTION:** Although not anticipated to be a significant route of occupational over-exposures, ingestion of this product may irritate the mouth, throat, and other contaminated tissue and cause other adverse health effects.

- **CHRONIC TOXICITY:**

- **CARCINOGENICITY STATUS:** The following table summarizes the carcinogenicity listing for the components of this product. “NO” indicates that the substance is not considered to be, or suspected to be, a carcinogen by the listed agency.

CHEMICAL	IARC	NTP	NIOSH	OSHA	OTHER
Sodium Salt	NO	NO	NO	NO	NO
Chelating Agent	NO	NO	NO	NO	NO
Organic Compound	NO	NO	NO	NO	NO
Phosphate Compound	NO	NO	NO	NO	NO

- **REPRODUCTIVE TOXICITY INFORMATION:** The components of this product are not reported to cause reproductive effects under typical circumstances of exposure at the concentrations present in this product. The following components have been reported to have reproductive effects in test animals.
  - **SODIUM SALT.** Oral-Rat TDLo: 15 g/kg (14W male/14W pre-3W post): Reproductive effects; Oral-Rat TDLo: 15 g/kg (14W male/14W pre-3W post): Reproductive effects

## SECTION 11: TOXICOLOGICAL INFORMATION (Continued)

- **MUTAGENIC EFFECTS:** The components of this product are not reported to cause reproductive effects under typical circumstances of exposure at the concentrations present in this product.
- **SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE:** Respiratory system.
- **SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE:** Not applicable.
- **ASPIRATION HAZARD:** Not applicable.
- **OTHER INFORMATION**
  - **TOXICOLOGICALLY SYNERGISTIC PRODUCTS:** None known.
  - **ADDITIONAL TOXICOLOGY:** None known.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 TOXICITY

- Based on available data, this product may be harmful to contaminated terrestrial plants or animals.
- Based on available data, this product may be harmful or fatal to contaminated aquatic plants or animals.
- There are the following aquatic toxicity data available for components of this product that are over 1 percent in concentration.

#### PHOSPHATE COMPOUND

EC<sub>50</sub> (Daphnia magna); 48 hours, 391 mg/L  
LC<sub>50</sub> Fish (other fish); 96 hours/1380 mg/L  
LC<sub>50</sub> Fish (other fish); 48 hours/700 mg/L

#### SODIUM SALT

Semi-static test LC50 – (Danio rerio - zebra fish) - 210 mg/l - 96 hours

#### CHELATING AGENT

LC50 - Leuciscus idus (Golden orfe) - > 500 mg/l - 96  
EC50 - Daphnia - > 100 mg/l - 24 hours  
EC50 - Algae - 10 - 100 mg/l - 72 hours

### 12.2 PERSISTENCE AND DEGRADABILITY

- When released into the soil, the components of this product are expected to biodegrade, dissipate in soils via oxidation, or otherwise chemically degrade or photo-decompose via solar radiation.

### 12.3 BIOACCUMULATIVE POTENTIAL

- The components of this product are not anticipated to bioaccumulate in any significant quantities.

### 12.4 MOBILITY IN SOIL

- It is to be expected this product will have small mobility in soil. Some of the components may get into the soil and, ultimately, the ground water. Product spreads on the water surface.

## SECTION 13: DISPOSAL CONSIDERATION

### 13.1 WASTE TREATMENT METHODS

- **WASTE HANDLING RECOMMENDATIONS:** Prepare, transport, treat, store, and dispose of waste product according to all applicable local, U.S. State and U.S. Federal regulations, or the applicable Canadian standards.
- **PRECIOUS METAL RECLAMATION:** When applicable and practical, users of the product may wish to utilize precious metal reclamation services for final disposition of wastes.

### 13.2 DISPOSAL CONSIDERATIONS

- **EPA RCRA WASTE CODE:** Not applicable.

## SECTION 14: TRANSPORT INFORMATION

### 14.1 TRANSPORTATION REGULATIONS

- **DEPARTMENT OF TRANSPORTATION HAZARDOUS MATERIALS SHIPPING REGULATIONS:**

UN/NA Number	Proper Shipping Name	Packing Group	Hazard Class	Label	North American Emergency Response Guide #	Marine Pollutant Status
NOT APPLICABLE						

- **CANADIAN TRANSPORTATION INFORMATION:** This product is not regulated by Transport Canada as dangerous goods under Canadian transportation standards. Refer to above information.
- **IATA DESIGNATION:** This product is not regulated as dangerous goods by the International Air Transport Association.
- **IMO DESIGNATION:** This product is not regulated as dangerous goods by the International Maritime Organization.

### 14.2 ENVIRONMENTAL HAZARDS

- None described, as related to transportation.

### 14.3 SPECIAL PRECAUTIONS FOR USERS

- Not applicable.

### 14.4 TRANSPORT IN BULK

- Not applicable.

## SECTION 15: REGULATORY INFORMATION

### 15.1: SAFETY, HEALTH, AND ENVIRONMENTAL REGULATIONS SPECIFIC FOR PRODUCT

- **OTHER IMPORTANT U.S. REGULATIONS**

- **U.S. SARA THRESHOLD PLANNING QUANTITY:** Not applicable.
- **U.S. SARA HAZARD CATEGORIES (SECTION 311/312, 40 CFR 370-21):** Skin Corrosion/Irritation; Eye Damage/Irritation; Acute Toxicity.
- **U.S. CERCLA REPORTABLE QUANTITY (RQ):** Not applicable.
- **U.S. TSCA INVENTORY STATUS:** All components of this product are listed on the TSCA Inventory.
- **US SARA 313:** Not applicable.
- **CALIFORNIA SAFE DRINKING WATER ACT (PROPOSITION 65) STATUS:** Not applicable.

- **INTERNATIONAL REGULATIONS**

- **CANADIAN REGULATORY STATUS: CANADIAN REGULATORY STATUS:** The product is classified as hazardous under Hazardous Products Regulations (SOR-2015-17).
  - WHMIS 2015: See section 2.
  - This SDS contains all the information required by the Hazardous Products Regulations.
- **CANADIAN DSL/NDSL INVENTORY STATUS:** The listed components of this product are on the DSL/NDSL Inventory.
- **CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITY SUBSTANCES LISTS:** The components of this product are not on the CEPA Priority Substances Lists.

### 15.2: CHEMICAL SAFETY ASSESSMENT.

- No information available.



## SECTION 16: OTHER INFORMATION

### 16.1 INDICATION OF CHANGE.

- **ORIGINAL DATE OF ISSUE:** February 22, 2021.
- **SUPERCEDES:** November 8, 2018.
- **CHANGE INDICATED:** Inclusion of product dilution information. Review/update of regulatory information.

### 16.2 KEY LITERATURE REFERENCES AND SOURCES FOR DATA

- SAFETY DATA SHEETS FOR COMPONENT PRODUCTS.
- Federal OSHA Hazard Communication Standard: 29 CFR 1910.1200
- SAX – Dangerous Properties of Industrial Materials
- RTECS – Registry of Effects of Toxic Chemicals

### 16.3 CLASSIFICATION AND PROCEDURE USED TO DERIVE THE CLASSIFICATIONS FOR MIXTURES

- **CLASSIFICATION:** Section 2 (Hazards Information) provides all relevant classification information used for this product. The assignments were based on data available for the component products, calculations, expert judgment, and weight of evidence.

### 16.4 WARRANTY AND COPYRIGHT

- **WARRANTY:** The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Krohn Industries. assumes no responsibility for injury to the vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, Krohn Industries assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in his use of the material.
- **COPYRIGHT** - © 2021 by Krohn Industries

### 16.5 ABBREVIATIONS AND ACRONYMS.

**ALL SECTIONS:** **OSHA:** U.S. Federal Occupational Safety and Health Administration. **WHMIS:** Canadian Workplace Hazardous Materials Standard. **GHS:** Globally Harmonized System of Classification of Chemical Substances

#### **SECTION 2: HAZARDOUS MATERIALS IDENTIFICATION**

**SYSTEM RATING:** This is a rating system used by industry to summarize physical and health hazards to chemical users and was originally developed by the National Paint and Coating Association. 0 = No Significant Hazard. 1 = Slight Hazard. 2 = Moderate Hazard. 3 = Severe Hazard. 4 = Extreme Hazard.

**SECTION 3: CAS Number:** Chemical Abstract Service Number, which is used by the American chemical Society to uniquely identify a chemical.

**SECTION 5: NFPA:** National Fire Protection Association. **NFPA FLAMMABILITY CLASSIFICATION:** The NFPA uses the flash point (F.I.P.) and boiling point (BP) to classify flammable or combustible liquids. Class IA: F.I.P. below 73°F and BP below 100°F. Class IB: F.I.P. below 73°F and BP at or above 100°F. Class IC: F.I.P. at or above 73°F and BP at or above 100°F. Class II: F.I.P. at or above 100°F and below 140°F. Class IIIA: F.I.P. at or above 140°F and below 200°F. Class IIIB: F.I.P. at or above 200°F. **NFPA HAZARDOUS MATERIALS RATING:** This is a rating system used to summarize physical and health hazards to firefighters. 0 = No Significant Hazard. 1 = Slight Hazard. 2 = Moderate Hazard. 3 = Severe Hazard. 4 = Extreme Hazard.

**SECTION 8: NE:** Not established. **ACGIH:** American Conference of Government Industrial Hygienists; **TWA:** Time-Weighted Average (over an 8-hour work day); **STEL:** Short-Term Exposure Limit (15-minute average, no more than 4-times daily and each exposure separated by one-hour minimally); **C:** Ceiling Limit (concentration not to be exceeded in a work environment). **PEL:** Permissible Exposure Limit. **NIOSH:** National Institute of Occupational Safety and Health; **REL:** Recommended Exposure Limit; **IDLH:** Immediately Dangerous to Life and Health Concentrations. *Note:* In July 1992, a court ruling vacated the more protective PELs set by OSHA in 1989. Because OSHA may enforce the more protective levels under the "general duty clause", both the current and vacated levels are presented in this document. **ppm:** Parts per Million. **mg/m<sup>3</sup>:** Milligrams per cubic meter. **mppcf:** Millions of Particles per Cubic Foot. **BEI:** Biological Exposure Limit.

**SECTION 9: pH:** Scale (0 to 14) used to rate the acidity or alkalinity of aqueous solutions. For example, a pH value of 0 indicates a strongly acidic solution, pH of 7 indicates a neutral solution, and a pH value of 14 indicates an extremely basic solution. **FLASH POINT:** Temperature at which a liquid generates enough flammable vapors so that ignition may occur. **AUTOIGNITION TEMPERATURE:** Temperature at which spontaneous ignition occurs. **LOWER EXPLOSIVE LIMIT (LEL):** The minimal concentration of flammable vapors in air which will sustain ignition. **UPPER EXPLOSIVE LIMIT (UEL):** The maximum concentration of flammable vapors in air which will sustain ignition. ≈: Approximately symbol.

**SECTION 11: CARCINOGENICITY STATUS:** NTP: National Toxicology Program. IARC: International Agency for Research on Cancer. **REPRODUCTIVE TOXICITY INFORMATION:** Mutagen: Substance capable of causing chromosomal damage to cells. Embryotoxin: Substance capable of damaging the developing embryo in an overexposed female. Teratogen: Substance capable of damaging the developing fetus in an overexposed female. Reproductive toxin: Substance capable of adversely affecting male or female reproductive organs or functions. **TOXICOLOGY DATA:** LD<sub>xx</sub> or LC<sub>xx</sub>: The Lethal Dose or Lethal Concentration of a substance which will be fatal to a given percentage (xx) of exposed test animals by the designate route of administration. This value is used to assess the toxicity of chemical substances to humans. TD<sub>xx</sub> or TC<sub>xx</sub>: The Toxic Dose or Toxic Concentration of a substance which will cause an adverse effect to a given percentage (xx) of exposed test animals by the designate route of administration.

**SECTION 12: TLM – Median Tolerance Limit**

**SECTION 13: RCRA:** Resource Conservation and Recovery Act. The regulations promulgated under this Act are found in 40 CFR, Sections 260 ff, and define the requirements of hazardous waste generation, transport, treatment, storage, and disposal. **EPA RCRA Waste Codes:** Defined in 40 CFR Section 261.

**SECTION 15: CERCLA:** Comprehensive Environmental Response Compensation and Liability Act (a.k.a. "Superfund") and SARA: (Superfund Amendment and Reauthorization Act). The regulations promulgated under this Act are located under 40 CFR 300 ff. and provide "community right-to-know" requirements. **DSL/NDL:** Canadian Domestic Substances and Non-Domestic Substances Lists.