

# SAFETY DATA SHEET



This Safety Data Sheet (SDS) complies with the requirements of the U.S. Federal Occupational Safety and Health Administration Hazard Communication Standard (29 CFR 1910.1200, as updated in 2012) and equivalent state Standards. It has also been developed in accordance with the United Nations Globally Harmonized System of Classification of Chemicals (GHS), and the Canadian Workplace Hazardous Materials Information System (WHMIS). Refer to Section 16 of this document for the definition of terms and abbreviations.

## SECTION 1: IDENTIFICATION of the Substance/Mixture and of the Company/Undertaking

### 1.1 PRODUCT IDENTIFIER:

- PRODUCT NAME: **CERAMITATION PART A**
- PRODUCT CODES: All Colors

--	--

### 1.2 RELEVANT IDENTIFIED USES OF THE MIXTURE OR USES ADVISED AGAINST

- IDENTIFIED USE: Decorative Enamel Coating
- USES ADVISED AGAINST: None Specified

### 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

- MANUFACTURER/  
SUPPLIER: **KROHN INDUSTRIES, INC.**
- ADDRESS: 303 Veterans Blvd.; Carlstadt, NJ; 07072
- BUSINESS PHONE: 201-933-9696
- EMERGENCY PHONE: 1-800-255-3924/813-248-0573(CHEMTEL; 24 hours/International)

### 1.4 OTHER PERTINENT INFORMATION

- This product is used in conjunction with Ceramitation – Part B.

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:

REGULATION	CLASSIFICATION
OSHA HAZARD COMMUNICATION (GHS)	This product is not classified as a hazardous material under Globally Harmonized System (GHS) classification schemes (29 CFR 1910,1200 Appendix A and Appendix B; United Nations Globally Harmonized System of Classification and Labelling, Sixth Edition, Chapters 2 and 3).

### 2.2 LABEL ELEMENTS:

- OSHA/CLP – BASED ON GLOBALLY HARMONIZED SYSTEM

**Hazard Pictograms:** Not applicable.

**Signal Word:** Not applicable.

**Hazard Statements:** Not applicable.

**Precautionary Statements:**

- \* Prevention – None specified. See sections 7 and 8 for details.
- \* Response – None specified. See sections 4, 5 and 6 for details.
- \* Storage – None specified. See section 7 for details.
- \* Disposal – None specified. See section 13 for details.

**RECOMMENDED PRECAUTIONS:** Avoid breathing vapor or mist. Do not get in eyes, on skin, or on clothing. Use personal protective equipment as required. Wash face, hands and any exposed skin thoroughly after handling. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

## SECTION 2: HAZARDS IDENTIFICATION (Continued)

### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM

Health	0	HMIS Personal Protective Equipment Rating: Occupational Use situations: B/C; Safety glasses and gloves/ body protection suitable to specific circumstances of use should be considered. (recommended when used with CERAMITATION – PART A)
Flammability	0	
Physical Hazard	0	
Protective Equipment	B/C	

### CANADIAN REGULATORY STATUS

- WHMIS 2015: See Previous Section.
- This SDS contains all the information required by the Hazardous Products Regulations.

## SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

### 3.1/3.2 SUBSTANCES/MIXTURES

CHEMICAL	CAS NUMBER	GHS HAZARD CLASSIFICATION FOR CHEMICAL	% (w/w)
No component of this product contributes health of physical hazards at the concentrations present in solution.			100%

## SECTION 4: FIRST AID MEASURES

### 4.1 DESCRIPTION OF FIRST AID MEASURES

#### AREA EXPOSED

#### Eye Contact

Flush with copious amounts of water for 15 minutes. "Roll" eyes during flush. Check for and remove contact lenses. Seek medical attention if irritation persists.

#### Skin Contact

Flush area with warm, running water for several minutes. Seek medical attention if irritation persists.

#### Inhalation

Obtain fresh air. See medical attention if symptoms persist.

#### Ingestion

If conscious only: Rinse mouth with water. Do not induce vomiting. Contact a Poison Control Center or physician for instructions.

### 4.2 MOST IMPORTANT ACUTE AND CHRONIC EXPOSURE SYMPTOMS

#### ACUTE HEALTH EFFECTS:

#### AREA EXPOSED

#### Eye Contact

May cause mild eye irritation, depending on duration of contact.

#### Skin Contact

May cause mild skin irritation, depending on duration of contact.

#### Inhalation

May cause mild respiratory tract irritation.

#### Ingestion

May cause gastrointestinal system irritation.

#### CHRONIC HEALTH EFFECTS: None reported.

#### TARGET ORGANS: None reported.

### 4.3 INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

- **GENERAL INFORMATION: For all exposures:** In case of accident, or if you feel unwell, seek medical advice immediately. Take this document and a copy of the label to the healthcare professional.
- **RECOMMENDATIONS TO PHYSICIANS:** Treat symptomatically.
- **MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE:** None reported.


## SECTION 5: FIREFIGHTING MEASURES

### 5.1 EXTINGUISHING MEDIA

- **RECOMMENDED FIRE EXTINGUISHING MEDIA:** Dry Powder, Water Spray, Foam, Carbon Dioxide, or any other.
- **UNSUITABLE FIRE EXTINGUISHING MEDIA:** None.

### 5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

- **NFPA FLAMMABILITY CLASSIFICATION:** Not flammable.
- **UNUSUAL HAZARDS IN FIRE SITUATIONS:** When involved in a fire, this material may produce irritating vapors and toxic gases (e.g., carbon monoxide, carbon dioxide).
  - Sensitivity to Mechanical Impact: Not sensitive.
  - Explosion Sensitivity to Static Discharge: Not sensitive.



### 5.3 ADVICE FOR FIREFIGHTERS

- Wear Self Contained Breathing Apparatus and full protective equipment for fire response. Move containers from fire area if it can be done without risk to personnel. Otherwise, use water spray to keep fire-exposed containers cool. Contaminated equipment should be rinsed thoroughly with water before returning to service.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES

- **RESPONSE TO INCIDENTAL RELEASES:** Personnel who have received basic chemical safety training can generally handle small-scale releases. For small releases, the minimum Personal Protective Equipment should be rubber gloves and rubber apron, splash goggles or safety glasses. Use caution during clean-up; avoid stepping into spilled liquid, as contaminated surfaces can be very slippery.
- **RESPONSE TO NON-INCIDENTAL RELEASES:** Generally, releases of this product will be no larger than the loss of one shipment of material. Subsequently, personnel can follow the instructions for incidental releases. As needed, respond to non-incident chemical releases of this product (such as the simultaneous destruction of several pallets of this product) by clearing the impacted area and contacting appropriate emergency personnel.
- **RESPONSE PROCEDURES FOR ANY RELEASE:** Absorb spilled liquid with polypads or other suitable absorbent materials. Rinse equipment/area thoroughly with detergent/water solution, if necessary.

### 6.2 ENVIRONMENTAL PRECAUTIONS

- Avoid response actions that can cause a release of a significant amount of the substance (1 liter or more) into the environment.

### 6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

- **SPILL RESPONSE EQUIPMENT:** Polypads or other absorbent material; detergent/water solution.

### 6.4 REFERENCES TO OTHER SECTIONS

- **SECTION 8:** For exposure levels and detailed personal protective equipment recommendations.
- **SECTION 13:** For waste handling guidelines.

## SECTION 7: HANDLING AND STORAGE

### 7.1 PRECAUTIONS FOR SAFE HANDLING

- **HYGIENE PRACTICES:** Keep out of reach of children. Follow good chemical hygiene practices. Do not smoke, drink, eat, or apply cosmetics in the chemical use area. Avoid inhalation of vapors, mists, or sprays. Use in well-ventilated area. Avoid contact with skin or eyes. Remove contaminated clothing promptly. Clean up spilled product immediately.

## SECTION 7: HANDLING AND STORAGE (Continued)

- **HANDLING RECOMMENDATIONS:** Employees must be appropriately trained to use this product safely as needed. Keep containers closed when not in use.

### 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

- **STORAGE RECOMMENDATIONS:** Ensure all containers are correctly labeled. Store containers away from direct sunlight, sources of intense heat, or where freezing is possible. Store this product away from incompatible chemicals (See Section 10, Stability and Reactivity). Empty containers may contain residual material; therefore, empty containers should be handled with care. Material should be stored in secondary containers, or in a diked area, as appropriate. Storage and use areas should be covered with impervious materials. Inspect all incoming containers before storage, to ensure containers are properly labeled and not damaged.
- **INCOMPATIBILITIES:** See Section 10 (Stability and Reactivity).

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 CONTROL PARAMETERS

- **U.S. NATIONAL EXPOSURE LIMITS:** There are no airborne exposure limits established for any component of this product.
- **BIOLOGICAL OCCUPATIONAL EXPOSURE LIMITS:** There are no Biological Exposure Indices (BEIs) for components of this product.

### 8.2 EXPOSURE CONTROLS

- **ENGINEERING CONTROLS:** Use this product in well-ventilated environment. Safety showers, eye wash stations, and hand-washing equipment should be available.
- **RESPIRATORY PROTECTION:** None needed under normal conditions of use. Use NIOSH approved respirators if ventilation is inadequate to control mists or sprays.
- **HAND PROTECTION:** Nitrile or neoprene gloves should be used. If necessary, refer to U.S. OSHA 29 CFR 1910.138, or appropriate local, state, or national standard.
- **EYE PROTECTION:** Splash goggles or safety glasses. If necessary, refer to U.S. OSHA 29 CFR 1910.133, or appropriate local, state, or national standard.
- **BODY PROTECTION:** Use a body protection appropriate to task (e.g., lab coat, coveralls, or apron). Care should be taken to select protection for potentially exposed areas when prolonged exposure could occur in occupational settings.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

- |  |  |
|--|--|
| (a) <b>APPEARANCE:</b> Liquid of various colors.                                   | (k) <b>VAPOR PRESSURE (mmHg @ 20°C):</b> No information available.           |
| (b) <b>ODOR:</b> Mild, phenol.   | (l) <b>VAPOR DENSITY (AIR = 1):</b> No information available.                |
| (c) <b>ODOR THRESHOLD:</b> Not determined.   | (m) <b>RELATIVE DENSITY (water=1):</b> No information available.             |
| (d) <b>pH:</b> No information available.   | (n) <b>SOLUBILITY:</b> Negligible.   |
| (e) <b>MELTING POINT/FREEZING POINT:</b> No information available.                 | (o) <b>PARTITION COEFFICIENT: N-OCTANOL/WATER:</b> No information available. |
| (f) <b>INITIAL BOILING POINT AND BOILING RANGE:</b> No information available.      | (p) <b>AUTO-IGNITION TEMPERATURE:</b> No data available.                     |
| (g) <b>FLASH POINT:</b> No information available.                                  | (q) <b>DECOMPOSITION TEMPERATURE:</b> Not determined.                        |
| (h) <b>EVAPORATION RATE:</b> No information available.                             | (r) <b>VISCOSITY:</b> 7 – 12 Stokes @ 25°C.                                  |
| (i) <b>FLAMMABILITY:</b> No information available.                                 | (s) <b>EXPLOSIVE PROPERTIES:</b> Not applicable.                             |
| (j) <b>UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:</b> No information available. | (t) <b>OXIDIZING PROPERTIES:</b> Not an oxidizer.                            |

### 9.2 OTHER INFORMATION

- **VOC (less water & exempt):** 281 g/L. **WEIGHT% VOC:** 39-41%.

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 REACTIVITY

- Not reactive under typical conditions of use or handling.

### 10.2 CHEMICAL STABILITY

- Normally stable under standard temperatures and pressures.

### 10.3 POSSIBILITY OF HAZARDOUS REACTIONS

- This product is not self-reactive or air-reactive.
- This product will not undergo hazardous polymerization.

### 10.4 CONDITIONS TO AVOID

- Avoid contact with incompatible chemicals and adverse storage conditions. Keep away from sources of ignition.

### 10.5 INCOMPATIBLE MATERIALS

- This product is not compatible with strong oxidizing agents or strong acids.

### 10.6 HAZARDOUS DECOMPOSITION PRODUCTS

- Products of thermal decomposition of this product can include carbon monoxide, carbon dioxide.

## SECTION 11: TOXICOLOGICAL INFORMATION

### • ACUTE TOXICITY:

- **TOXICOLOGY DATA:** The following toxicology data are available for this product.

#### PRODUCT

Acute Toxicity Estimate (oral) > 2000 mg/kg

Acute Toxicity Estimate (dermal) > 2000 mg/kg

Acute Toxicity Estimate (inhalation-dust/mist) > 200 mg/L

Acute Toxicity Estimate (inhalation-vapor) > 20 mg/L

99.3 % of the mixture consists of ingredient(s) of unknown toxicity.

- **DEGREE OF IRRITATION:** Not reported to be a skin or eye irritant.
- **SENSITIZATION:** This product is not reported to be a skin or respiratory sensitizer.
- **REVIEW OF ACUTE SYMPTOMS AND EFFECTS:** See Section 2 (Hazards Information) and Section 4 (First-Aid Measures) for further details.
  - **EYES:** Can cause mild to serious eye irritation, depending on duration of contact.
  - **SKIN:** May cause mild to moderate irritation upon prolonged exposure.
  - **INHALATION:** Mists and vapors of this product may cause mild nasal irritation, and may cause central nervous system effects.
  - **INGESTION:** Although not anticipated to be a significant route of occupational over-exposures, ingestion of this product may cause gastrointestinal problems and central nervous system effects.

### • CHRONIC TOXICITY:

- **CARCINOGENICITY STATUS:** Not established. No component great than 0.1% in concentration is listed as a carcinogen by NTP, IARC, or OSHA.
- **REPRODUCTIVE TOXICITY INFORMATION:** The components of this product are not reported to cause reproductive effects under typical circumstances of exposure at the concentrations present in this product.
- **MUTAGENIC EFFECTS:** The components of this product are not reported to cause reproductive effects under typical circumstances of exposure at the concentrations present in this product.
- **SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE:** Not applicable.
- **SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE:** Not applicable.
- **ASPIRATION HAZARD:** This product is not known to be an aspiration hazard.

### • OTHER INFORMATION

- **TOXICOLOGICALLY SYNERGISTIC PRODUCTS:** None known.
- **ADDITIONAL TOXICOLOGY:** None known.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 TOXICITY

- Based on available data, this product is not anticipated to be harmful to aquatic or terrestrial plants or animals.

### 12.2 PERSISTENCE AND DEGRADABILITY

- When released into the soil, the components of this product are expected to biodegrade, dissipate in soils via oxidation, or otherwise chemically degrade or photo-decompose via solar radiation.

### 12.3 BIOACCUMULATIVE POTENTIAL

- The components of this product are not anticipated to bioaccumulate in any significant quantities.

### 12.4 MOBILITY IN SOIL

- It is to be expected this product will have small mobility in soil. Some of the components may get into the soil and, ultimately, the ground water.

## SECTION 13: DISPOSAL CONSIDERATION

### 13.1 WASTE TREATMENT METHODS

- **WASTE HANDLING RECOMMENDATIONS:** Prepare, transport, treat, store, and dispose of waste product according to all applicable local, U.S. State and U.S. Federal regulations, or the applicable Canadian standards.

## SECTION 14: TRANSPORT INFORMATION

### 14.1 DANGEROUS GOODS BASIC DESCRIPTION AND OTHER TRANSPORT INFORMATION

- This material is not hazardous for shipment, per the Hazardous Materials Regulations or Dangerous Goods Codes. Please contact the manufacturer if there are questions pertinent to the shipment of this product.

### 14.2 ENVIRONMENTAL HAZARDS

- None described, as related to transportation.

### 14.3 SPECIAL PRECAUTIONS FOR USERS

- Not applicable.

### 14.4 TRANSPORT IN BULK

- Not applicable.

## SECTION 15: REGULATORY INFORMATION

### 15.1 SAFETY, HEALTH, AND ENVIRONMENTAL REGULATIONS SPECIFIC FOR THE PRODUCT.

#### • OTHER IMPORTANT U.S. REGULATIONS

- **U.S. SARA THRESHOLD PLANNING QUANTITY:** Not applicable.
- **U.S. SARA HAZARD CATEGORIES (SECTION 311/312, 40 CFR 370-21):** Not applicable.
- **U.S. CERCLA REPORTABLE QUANTITY (RQ):** Not applicable...
- **U.S. TSCA INVENTORY STATUS:** All components of this product are listed on the TSCA Inventory.
- **CALIFORNIA SAFE DRINKING WATER ACT (PROPOSITION 65) STATUS:** Not applicable.

#### • INTERNATIONAL REGULATIONS

- **CANADIAN DSL/NDL INVENTORY STATUS:** The listed components of this product are on the DSL/NDL Inventory.
- **CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS:** The components of this product are not on the CEPA Priorities Substances Lists.

## SECTION 16: OTHER INFORMATION

### 16.1 INDICATION OF CHANGE.

- **ORIGINAL DATE OF ISSUE:** September 23, 2019
- **SUPERCEDES:** Not applicable.
- **CHANGE INDICATED:** Not applicable.

### 16.2 KEY LITERATURE REFERENCES AND SOURCES FOR DATA

- SAFETY DATA SHEETS FOR COMPONENT PRODUCTS.
- Federal OSHA Hazard Communication Standard: 29 CFR 1910.1200
- TOXNET – <http://toxnet.nlm.nih.gov/>

### 16.3 CLASSIFICATION AND PROCEDURE USED TO DERIVE THE CLASSIFICATIONS FOR MIXTURES

- CLASSIFICATION: Section 2 (Hazards Information) provides all relevant classification information used for this product. The assignments were based on data available for the component products, calculations, expert judgment, and weight of evidence.

### 16.4 WARRANTY AND COPYRIGHT

- WARRANTY: The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Krohn Industries, assumes no responsibility for injury to the vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, Krohn Industries assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in his use of the material.
- COPYRIGHT - © 2019 by Krohn Industries

### 16.5 ABBREVIATIONS AND ACRONYMS.

**ALL SECTIONS:** OSHA: U.S. Federal Occupational Safety and Health Administration. WHMIS: Canadian Workplace Hazardous Materials Standard. GHS: Globally Harmonized System of Classification of Chemical Substances

**SECTION 2:** HAZARDOUS MATERIALS IDENTIFICATION SYSTEM RATING: This is a rating system used by industry to summarize physical and health hazards to chemical users and was originally developed by the National Paint and Coating Association. 0 = No Significant Hazard. 1 = Slight Hazard. 2 = Moderate Hazard. 3 = Severe Hazard. 4 = Extreme Hazard.

**SECTION 3:** CAS Number: Chemical Abstract Service Number, which is used by the American chemical Society to uniquely identify a chemical.

**SECTION 5:** NFPA: National Fire Protection Association. NFPA FLAMMABILITY CLASSIFICATION: The NFPA uses the flash point (F.I.P.) and boiling point (BP) to classify flammable or combustible liquids. Class IA: F.I.P. below 73°F and BP below 100°F. Class IB: F.I.P. below 73°F and BP at or above 100°F. Class IC: F.I.P. at or above 73°F and BP at or above 100°F. Class II: F.I.P. at or above 100°F and below 140°F. Class IIIA: F.I.P. at or above 140°F and below 200°F. Class IIIB: F.I.P. at or above 200°F. NFPA HAZARDOUS MATERIALS RATING: This is a rating system used to summarize physical and health hazards to firefighters. 0 = No Significant Hazard. 1 = Slight Hazard. 2 = Moderate Hazard. 3 = Severe Hazard. 4 = Extreme Hazard.

**SECTION 8:** NE: Not established. ACGIH: American Conference of Government Industrial Hygienists; TWA: Time-Weighted Average (over an 8-hour work day); STEL: Short-Term Exposure Limit (15-minute average, no more than 4-times daily and each exposure separated by one-hour minimally); C: Ceiling Limit (concentration not to be exceeded in a work environment). PEL: Permissible Exposure Limit. NIOSH: National Institute of Occupational Safety and Health; REL: Recommended Exposure Limit; IDLH: Immediately Dangerous to Life and Health Concentrations. *Note:* In July 1992, a court ruling vacated the more protective PELs set by OSHA in 1989. Because OSHA may enforce the more protective levels under the "general duty clause", both the current and vacated levels are presented in this document. ppm: Parts per Million. mg/m<sup>3</sup>: Milligrams per cubic meter. mppcf: Millions of Particles per Cubic Foot. BEI: Biological Exposure Limit.

**SECTION 9:** pH: Scale (0 to 14) used to rate the acidity or alkalinity of aqueous solutions. For example, a pH value of 0 indicates a strongly acidic solution, pH of 7 indicates a neutral solution, and a pH value of 14 indicates an extremely basic solution. FLASH POINT: Temperature at which a liquid generates enough flammable vapors so that ignition may occur. AUTOIGNITION TEMPERATURE: Temperature at which spontaneous ignition occurs. LOWER EXPLOSIVE LIMIT (LEL): The minimal concentration of flammable vapors in air which will sustain ignition. UPPER EXPLOSIVE LIMIT (UEL): The maximum concentration of flammable vapors in air which will sustain ignition. ≈: Approximately symbol.

**SECTION 11:** CARCINOGENICITY STATUS: NTP: National Toxicology Program. IARC: International Agency for Research on Cancer. REPRODUCTIVE TOXICITY INFORMATION: Mutagen: Substance capable of causing chromosomal damage to cells. Embryotoxin: Substance capable of damaging the developing embryo in an overexposed female. Teratogen: Substance capable of damaging the developing fetus in an overexposed female. Reproductive toxin: Substance capable of adversely affecting male or female reproductive organs or functions. TOXICOLOGY DATA: LD<sub>xx</sub> or LC<sub>xx</sub>: The Lethal Dose or Lethal Concentration of a substance which will be fatal to a given percentage (xx) of exposed test animals by the designate route of administration. This value is used to assess the toxicity of chemical substances to humans. TD<sub>xx</sub> or TC<sub>xx</sub>: The Toxic Dose or Toxic Concentration of a substance which will cause an adverse effect to a given percentage (xx) of exposed test animals by the designate route of administration.

**SECTION 12:** T<sub>Lm</sub> – Median Tolerance Limit

**SECTION 13:** RCRA: Resource Conservation and Recovery Act. The regulations promulgated under this Act are found in 40 CFR, Sections 260 ff, and define the requirements of hazardous waste generation, transport, treatment, storage, and disposal. EPA RCRA Waste Codes: Defined in 40 CFR Section 261.

**SECTION 15:** CERCLA: Comprehensive Environmental Response Compensation and Liability Act (a.k.a. "Superfund") and SARA: (Superfund Amendment and Reauthorization Act). The regulations promulgated under this Act are located under 40 CFR 300 ff. and provide "community right-to-know" requirements. DSL/NDL: Canadian Domestic Substances and Non-Domestic Substances Lists.